

PORTABLE WELD CURTAINS

THE MOST PORTABLE WELD CURTAIN ON THE MARKET IS NOW AVAILABLE IN TWO CONVENIENT STYLES

1st Generation Weld Curtain

Classic unit featuring smooth, durable roller wheels on one end, and a handle on the other end for easy transportation to new working stations.



Generation 1 Weld Curtain in Retracted Mode



Generation 1 Curtain (Weld Side)

2nd Generation Weld Curtain

Newly designed unit features a replaceable shade and a streamlined canister that is ideal for deploying multiple units.



Generation 2 Weld Curtain in Retracted Mode



Generation 2 Curtain (Non-Weld Side)

WHY GORTITE PORTABLE WELD CURTAINS?

- **Protection** against UV radiation during welding. Suitable for MIG, TIG and stick welding.
- **Convenient:** Set up and breakdown in seconds
- **Easy Storage:** Uses minimal storage space when shade is retracted due to small profile
- **Light-Weight and Portable:** Less than 38 pounds – easy transportation between work stations
- **Durable:** Heavy-duty steel construction provides years of use in a manufacturing environment
- **Versatile:** Can be used for work cell separation, as a privacy wall to block distracting views, or to aid in the containment of sawdust or other light debris
- **Customizable:** Alternative shade and base colors can be custom ordered



Shade is held in extended position by sliding metal loop through vertical rod.

PORTABLE WELD CURTAINS

GEN 1 PORTABLE WELD CURTAIN SPECIFICATIONS

Dimensions:

- Shade width: 74.5" (1,892 mm)
- Shade height: 75.00" (1,905 mm)
- Canister length: 81.25" (2,064 mm)
- Canister width: 5.13" (130 mm)
- Retracted height: 6.63" (168 mm)
- Base support leg length: 23.00" (584 mm)


Weight: 38 lbs. (17.2 kg.)

Appearance:

Shade material: 0.014" PVC film, dark green or yellow. Alternative shade and base colors can be special ordered.



Generation 1 Curtain (Weld Side)



GEN 2 PORTABLE WELD CURTAIN SPECIFICATIONS

Dimensions:

- Shade width: 74.5" (1,892 mm)
- Shade height: 72.00" (1,829 mm)
- Canister length: 77.88" (1,978 mm)
- Canister width: 7.66" (195 mm)
- Retracted height: 4.88" (124 mm)


Weight: 37.5 lbs. (17 kg.)

Appearance:

Shade material: 0.014" PVC film, dark green or yellow. Alternative shade and base colors can be special ordered.



Generation 2 Curtain (Non-Weld Side)



MODULAR WELD CURTAINS

Providing protection up to nearly 90" off the floor, the modular weld curtain system is the most portable, modular and flexible free-standing system available. The unique system design offers virtually any cell configuration for protection against UV radiation during welding. Custom sizes and mounting configurations are also available.

Features:

- Protection against UV radiation during welding
- Portable, modular and flexible
- Ease of work cell assembly
- Unique free-standing design offers virtually any cell configuration

Specifications for Standard Modular Design:

- Pedestal dimensions: 20.4 in. x 20.4 in. x 10.25 in.
- Mast height: 94 in.
- Shade height: 74.5 in. / From Floor: 89.25 in.
- Shade extended length: 144 in.
- Shade material: 0.014" PVC film, dark green
- Weight without cement: 105 lbs.
- Estimated weight with cement: 210 lbs.

